



HEARTLAND STOCK LABEL AND RIBBON LIST

800-236-3584 • FAX: 920-788-7733

PART NUMBER	SIZE (INCHES)	MATERIAL	ADHESIVE	PERF	UNWIND	CORE SIZE	ROLL O.D.	#/ROLL /STACK	# CASE	WT. PER CASE	FLOODCOATED
CTT175150-3	1.75 X 1.50	COATED THERMAL TRANSFER	PERMANENT	NO	OUT	3	8	4000	8	21	
CTT200100-3P	2 X 1	COATED THERMAL TRANSFER	PERMANENT	YES	OUT	3	8	5100	8	21	
CTT225150-3P	2.25 X 1.5	COATED THERMAL TRANSFER	PERMANENT	YES	OUT	3	8	4308	4	14	
CTT225400-3	2.25 X 4	COATED THERMAL TRANSFER	PERMANENT	NO	OUT	3	8	1696	4	14	
CTT300100-3	3 X 1	COATED THERMAL TRANSFER	PERMANENT	NO	OUT	3	8	5000	6	23	
CTT300100-3P	3 X 1	COATED THERMAL TRANSFER	PERMANENT	YES	OUT	3	8	5000	6	23	
CTT300200-3	3 X 2	COATED THERMAL TRANSFER	PERMANENT	NO	OUT	3	8	3000	6	23	
CTT300200-3P	3 X 2	COATED THERMAL TRANSFER	PERMANENT	YES	OUT	3	8	3000	6	23	
CTT300300-3P	3 X 3	COATED THERMAL TRANSFER	PERMANENT	YES	OUT	3	8	2000	6	26	
CTT300500-3	3 X 5	COATED THERMAL TRANSFER	PERMANENT	NO	OUT	3	8	1300	6	23	
CTT300500-3P	3 X 5	COATED THERMAL TRANSFER	PERMANENT	YES	OUT	3	8	1300	6	23	
CTT400100-3P	4 X 1	COATED THERMAL TRANSFER	PERMANENT	YES	OUT	3	8	5560	4	25	
CTT400150-3P	4 X 1.5	COATED THERMAL TRANSFER	PERMANENT	YES	OUT	3	8	3850	4	25	
CTT400200-3P	4 X 2	COATED THERMAL TRANSFER	PERMANENT	YES	OUT	3	8	3000	4	25	
CTT400250-3P	4 X 2.5	COATED THERMAL TRANSFER	PERMANENT	YES	OUT	3	8	2400	4	25	
CTT400300-3P	4 X 3	COATED THERMAL TRANSFER	PERMANENT	YES	OUT	3	8	2000	4	24	
CTT400400-3	4 X 4	COATED THERMAL TRANSFER	PERMANENT	NO	OUT	3	8	1500	4	24	
CTT400400-3P	4 X 4	COATED THERMAL TRANSFER	PERMANENT	YES	OUT	3	8	1500	4	24	
CTT400400-FF	4 X 4	COATED THERMAL TRANSFER	PERMANENT	YES	FANFOLD	N/A	N/A	3000	2	20	
CTT400600-3O	4 X 6	COATED THERMAL TRANSFER	PERMANENT	NO	OUT	3	8	1000	4	24	
CTT400600-3PI	4 X 6	COATED THERMAL TRANSFER	PERMANENT	YES	IN	3	8	1000	4	24	
CTT400600-3PO	4 X 6	COATED THERMAL TRANSFER	PERMANENT	YES	OUT	3	8	1000	4	24	
CTT400600-FF	4 X 6	COATED THERMAL TRANSFER	PERMANENT	YES	FANFOLD	N/A	N/A	2500	2	25	
CTT400600-3P F/BL	4 X 6	COATED THERMAL TRANSFER	PERMANENT	YES	OUT	3	8	1000	4	24	PMS 2975 BLUE
CTT400600-3P F/Green 354	4 X 6	COATED THERMAL TRANSFER	PERMANENT	YES	OUT	3	8	1000	4	24	PMS 354 Dk GREEN
CTT400600-3P F/O	4 X 6	COATED THERMAL TRANSFER	PERMANENT	YES	OUT	3	8	1000	4	24	PMS 021 ORANGE
CTT400600-3P F/PI	4 X 6	COATED THERMAL TRANSFER	PERMANENT	YES	OUT	3	8	1000	4	24	PMS 182 PINK
CTT400600-3P F/R	4 X 6	COATED THERMAL TRANSFER	PERMANENT	YES	OUT	3	8	1000	4	24	PMS 185 RED
CTT400600-3P F/Y	4 X 6	COATED THERMAL TRANSFER	PERMANENT	YES	OUT	3	8	1000	4	24	PANTONE YELLOW
CTT400600-3P F/Purple	4 X 6	COATED THERMAL TRANSFER	PERMANENT	YES	OUT	3	8	1000	4	24	PANTONE 264 Purple
CTT400600-3P F/Green	4 X 6	COATED THERMAL TRANSFER	PERMANENT	YES	OUT	3	8	1000	4	24	PMS 365 Light Green
CTT400650-3P	4 X 6.5	COATED THERMAL TRANSFER	PERMANENT	YES	OUT	3	8	900	4	24	
CTT400650-FF	4 X 6.5	COATED THERMAL TRANSFER	PERMANENT	YES	FANFOLD	N/A	N/A	2500	2	25	
CTT400800-3P	4 X 8	COATED THERMAL TRANSFER	PERMANENT	YES	OUT	3	8	800	4	24	
CTT400900-3	4 X 9	COATED THERMAL TRANSFER	PERMANENT	NO	OUT	3	8	750	4	25	
CTT4001000-3P	4 X 10	COATED THERMAL TRANSFER	PERMANENT	YES	OUT	3	8	600	6	24	
CTT4001200-3P	4 X 12	COATED THERMAL TRANSFER	PERMANENT	YES	OUT	3	8	500	4	24	
CTT600400-3P	6 X 4	COATED THERMAL TRANSFER	PERMANENT	YES	OUT	3	8	1500	4	35	
DT225125-3P	2.25 X 1.25	DIRECT THERMAL	PERMANENT	YES	OUT	3	8	5087	4	35	
DT400100-3P	4 X 1	DIRECT THERMAL	PERMANENT	YES	OUT	3	8	5560	4	25	
DT400150-3P	4 X 1.5	DIRECT THERMAL	PERMANENT	YES	OUT	3	8	3850	4	25	
DT400200-3P	4 X 2	DIRECT THERMAL	PERMANENT	YES	OUT	3	8	3000	4	25	
DT400300-3O	4 X 3	DIRECT THERMAL	PERMANENT	NO	OUT	3	8	2000	4	25	
DT400300-3P	4 X 3	DIRECT THERMAL	PERMANENT	YES	OUT	3	8	2000	4	25	
DT400400-3	4 X 4	DIRECT THERMAL	PERMANENT	NO	OUT	3	8	1500	4	24	
DT400400-3P	4 X 4	DIRECT THERMAL	PERMANENT	YES	OUT	3	8	1500	4	24	
DT400600-3O	4 X 6	DIRECT THERMAL	PERMANENT	NO	OUT	3	8	1000	4	24	
DT400600-3PO	4 X 6	DIRECT THERMAL	PERMANENT	YES	OUT	3	8	1000	4	24	
DT400600-FF	4 X 6	DIRECT THERMAL	PERMANENT	YES	FANFOLD	N/A	N/A	2500	2	25	
DT400650-3P	4 X 6.5	DIRECT THERMAL	PERMANENT	YES	OUT	3	8	900	4	24	

2 CASES MINIMUM OR \$50.00 MINIMUM FOR 1 CASE



HEARTLAND STOCK LABEL AND RIBBON LIST

800-236-3584 • FAX: 920-788-7733

PART NUMBER	SIZE (INCHES)	MATERIAL	ADHESIVE	PERF	UNWIND	CORE ROLL		# /ROLL	# CASE	WT. PER CASE	FLOODCOATED
						SIZE	O.D.				
QLD400600-P	4 X 6	DIRECT THERMAL	PERMANENT	YES	OUT	3/4	2.6	105	36	23	
RDT4-125100-1P	1.25 X 1	DIRECT THERMAL	PERMANENT	YES	OUT	1	4	1380	12	16	
RDT4-200100-1P	2 X 1	DIRECT THERMAL	PERMANENT	YES	OUT	1	4	1310	12	19	
RDT4-225075-1P	2.25 X .75	DIRECT THERMAL	PERMANENT	YES	OUT	1	4	1780	12	11	
RDT4-225125-1P	2.25 X 1.25	DIRECT THERMAL	PERMANENT	YES	OUT	1	4	1135	12	11	
RDT4-225150-1P	2.25 X 1.5	DIRECT THERMAL	PERMANENT	YES	OUT	1	4	960	12	11	
RDT4-225200-1P	2.25 X 2	DIRECT THERMAL	PERMANENT	YES	OUT	1	4	735	12	11	
RDT4-225250-1P	2.25 X 2.5	DIRECT THERMAL	PERMANENT	YES	OUT	1	4	600	12	11	
RDT4-225300-1P	2.25 X 3	DIRECT THERMAL	PERMANENT	YES	OUT	1	4	500	12	11	
RDT4-225400-1P	2.25 X 4	DIRECT THERMAL	PERMANENT	YES	OUT	1	4	380	12	11	
RDT4-300100-1P	3 X 1	DIRECT THERMAL	PERMANENT	YES	OUT	1	4	1310	12	15	
RDT4-300200-1P	3 X 2	DIRECT THERMAL	PERMANENT	YES	OUT	1	4	735	12	15	
RDT4-400100-1P	4 X 1	DIRECT THERMAL	PERMANENT	YES	OUT	1	4	1310	12	18	
RDT4-400150-1P	4 X 1.5	DIRECT THERMAL	PERMANENT	YES	OUT	1	4	960	12	18	
RDT4-400200-1P	4 X 2	DIRECT THERMAL	PERMANENT	YES	OUT	1	4	735	12	18	
RDT4-400250-1P	4 X 2.5	DIRECT THERMAL	PERMANENT	YES	OUT	1	4	600	12	18	
RDT4-400300-1P	4 X 3	DIRECT THERMAL	PERMANENT	YES	OUT	1	4	500	12	18	
RDT4-400400-1P	4 X 4	DIRECT THERMAL	PERMANENT	YES	OUT	1	4	377	12	18	
RDT4-400500-1P	4 X 5	DIRECT THERMAL	PERMANENT	YES	OUT	1	4	305	12	18	
RDT4-400600-1	4 X 6	DIRECT THERMAL	PERMANENT	NO	OUT	1	4	250	12	18	
RDT4-400600-1P	4 X 6	DIRECT THERMAL	PERMANENT	YES	OUT	1	4	250	12	18	
RDT4-400650-1P	4 X 6.5	DIRECT THERMAL	PERMANENT	YES	OUT	1	4	230	12	18	
RDT5-125100-1P	1.25 X 1.00	DIRECT THERMAL	PERMANENT	YES	OUT	1	5	2340	12	19	
RDT5-200100-1P	2 X 1	DIRECT THERMAL	PERMANENT	YES	OUT	1	5	2340	12	19	
RDT5-225125-1P	2.25 X 1.25	DIRECT THERMAL	PERMANENT	YES	OUT	1	5	2100	12	19	
RDT5-400200-1P	4 X 2	DIRECT THERMAL	PERMANENT	YES	OUT	1	5	1240	12	36	
RDT5-400300-1P	4 X 3	DIRECT THERMAL	PERMANENT	YES	OUT	1	5	840	12	36	
RDT5-400600-1P	4 X 6	DIRECT THERMAL	PERMANENT	YES	OUT	1	5	475	12	36	
RTT4-225075-1P	2.25 X .75	COATED THERMAL TRANSFER	PERMANENT	YES	OUT	1	4	1780	12	11	
RTT4-225125-1P	2.25 X 1.25	COATED THERMAL TRANSFER	PERMANENT	YES	OUT	1	4	1135	12	11	
RTT4-225200-1P	2.25 X 2	COATED THERMAL TRANSFER	PERMANENT	YES	OUT	1	4	735	12	11	
RTT4-225300-1P	2.25 X 3	COATED THERMAL TRANSFER	PERMANENT	YES	OUT	1	4	500	12	11	
RTT4-225400-1P	2.25 X 4	COATED THERMAL TRANSFER	PERMANENT	YES	OUT	1	4	380	12	11	
RTT4-300100-1P	3 X 1	COATED THERMAL TRANSFER	PERMANENT	YES	OUT	1	4	1310	12	14	
RTT4-400100-1P	4 X 1	COATED THERMAL TRANSFER	PERMANENT	YES	OUT	1	4	1310	12	18	
RTT4-400150-1P	4 X 1.5	COATED THERMAL TRANSFER	PERMANENT	YES	OUT	1	4	960	12	18	
RTT4-400200-1P	4 X 2	COATED THERMAL TRANSFER	PERMANENT	YES	OUT	1	4	735	12	18	
RTT4-400300-1P	4 X 3	COATED THERMAL TRANSFER	PERMANENT	YES	OUT	1	4	500	12	18	
RTT4-400400-1P	4 X 4	COATED THERMAL TRANSFER	PERMANENT	YES	OUT	1	4	377	12	18	
RTT4-400500-1P	4 X 5	COATED THERMAL TRANSFER	PERMANENT	YES	OUT	1	4	305	12	18	
RTT4-400600-1P	4 X 6	COATED THERMAL TRANSFER	PERMANENT	YES	OUT	1	4	250	12	18	
RTT5-225125-1P	2.25 X 1.25	COATED THERMAL TRANSFER	PERMANENT	YES	OUT	1	5	2100	12	19	
RTT5-400300-1P	4 X 3	COATED THERMAL TRANSFER	PERMANENT	YES	OUT	1	5	840	12	36	
RTT5-400600-1P	4 X 6	COATED THERMAL TRANSFER	PERMANENT	YES	OUT	1	5	475	12	36	

2 CASES MINIMUM OR \$50.00 MINIMUM FOR 1 CASE



HEARTLAND STOCK LABEL AND RIBBON LIST

800-236-3584 • FAX: 920-788-7733

PRINTER	PART NUMBER	FORMULA	Coated Side In(CSI) or Coated Side	WIDTH	LENGTH	ROLLS/CASE
Datamax	W90053CIS	Enhanced Wax	CSI	53mm(2.09")	360m (1,181')	48
	W90057CIS	Enhanced Wax	CSI	57mm (2.22")	360m (1,181')	36
	W90064CIS	Enhanced Wax	CSI	64mm (2.52")	360m (1,181')	36
	W90076CIS	Enhanced Wax	CSI	76mm (2.99")	360m (1,181')	36
	W90083CIS	Enhanced Wax	CSI	83mm (3.27")	360m (1,181')	24
	W90090CIS	Enhanced Wax	CSI	90mm (3.54")	360m (1,181')	24
	W90102CIS	Enhanced Wax	CSI	102mm (4.02")	360m (1,181')	24
	W90110CIS	Enhanced Wax	CSI	110mm (4.33")	360m (1,181')	24
Intermec 3400/3600	W90060BOS	Enhanced Wax	CSO	60mm (2.36")	300m (984')	36
	W90080BOS	Enhanced Wax	CSO	80mm (3.15")	300m (984')	24
	W90090BOS	Enhanced Wax	CSO	90mm (3.54")	300m (984')	24
	W90102BOS	Enhanced Wax	CSO	102mm (4.02")	300m (984')	24
	W90110BOS	Enhanced Wax	CSO	110mm (4.33")	300m (984')	24
Intermec 4000/4100	W90064CIS	Enhanced Wax	CSI	64mm (2.52")	360m (1,181')	36
	W90076CIS	Enhanced Wax	CSI	76mm (2.99")	360m (1,181')	36
	W90083CIS	Enhanced Wax	CSI	83mm (3.27")	360m (1,181')	24
	W90090CIS	Enhanced Wax	CSI	90mm (3.54")	360m (1,181')	24
	W90102CIS	Enhanced Wax	CSI	102mm (4.02")	360m (1,181')	24
	W90110CIS	Enhanced Wax	CSI	110mm (4.33")	360m (1,181')	24
	W90114CIS	Enhanced Wax	CSI	114mm (4.49")	360m (1,181')	24
Sato	W90053DIS	Enhanced Wax	CSI	53mm (2.09")	410m (1,345')	48
	W90064DIS	Enhanced Wax	CSI	64mm (2.52")	410m (1,345')	36
	W90076DIS	Enhanced Wax	CSI	76mm (2.99")	410m (1,345')	36
	W90090DIS	Enhanced Wax	CSI	90mm (3.54")	410m (1,345')	24
	W90102DIS	Enhanced Wax	CSI	102mm (4.02")	410m (1,345')	24
	W90110DIS	Enhanced Wax	CSI	110mm (4.33")	410m (1,345')	24
	Zebra	FED064HM	Enhanced Wax	CSO	64mm (2.50")	91m (300')
FED083HM		Enhanced Wax	CSO	83mm (3.30")	91m (300')	12
FED110HM		Enhanced Wax	CSO	110m (4.33")	91m (300')	12
W90060BOS		Enhanced Wax	CSO	60mm (2.36")	300m (984')	36
W90080BOS		Enhanced Wax	CSO	80mm (3.15")	300m (984')	24
W90090BOS		Enhanced Wax	CSO	90mm (3.54")	300m (984')	24
W90102BOS		Enhanced Wax	CSO	102mm (4.02")	300m (984')	24
W90110BOS		Enhanced Wax	CSO	110mm (4.33")	300m (984')	24
W90064EOS		Enhanced Wax	CSO	64mm (2.52")	450m (1,476')	36
W90070EOS		Enhanced Wax	CSO	70mm (2.76")	450m (1,476')	36
W90080EOS		Enhanced Wax	CSO	80mm (3.15")	450m (1,476')	24
W90083EOS		Enhanced Wax	CSO	83mm (3.27")	450m (1,476')	24
W90090EOS		Enhanced Wax	CSO	90mm (3.54")	450m (1,476')	24
W90102EOS		Enhanced Wax	CSO	102mm (4.02")	450m (1,476')	24
W90110EOS		Enhanced Wax	CSO	110mm (4.33")	450m (1,476')	24
W90114EOS		Enhanced Wax	CSO	114mm (4.49")	450m (1,476')	24

2 CASES MINIMUM OR \$50.00 FOR 1 CASE